

# Erratum

Ground beetle responses to patch retention harvesting in high elevation forests of British Columbia by J. P. Lemieux and B. S. Lindgren. – *Ecography* 27: 557–566.

Table 4 on p. 564 was unfortunately incorrect. A correct Table 4 is found below.

Table 4. Commonly occurring species (> 50 individuals) captured in pitfall traps near Smithers, BC, 1995/6. Treatment codes with a continuous underline were not significantly different from one another (Tukey,  $\alpha=0.05$ ). OP = open areas in patch retention; P = patch; E = edge; F = undisturbed forest. Non-metric scaling (NMS) axis  $r^2$  values are the correlation between species values and treatment scores on axis one.

Species	Year	NMS axis $r^2$	Mean $\pm$ SD (individuals/trap/day)				p-value treatment effect
<i>Bembidion oblongulum</i>	1995	0.12	0.014 $\pm$ 0.006 <u>P</u>	0.012 $\pm$ 0.009 <u>OP</u>	0.002 $\pm$ 0.004 <u>F</u>		<b>0.04</b>
	1996	0.18	0.012 $\pm$ 0.009 <u>P</u>	0.011 $\pm$ 0.013 <u>OP</u>	0.008 $\pm$ 0.009 <u>F</u>	0.000 $\pm$ 0.001 <u>E</u>	0.22
<i>Calathus advena</i>	1995	0.23	0.269 $\pm$ 0.216 <u>P</u>	0.111 $\pm$ 0.117 <u>F</u>	0.041 $\pm$ 0.032 <u>OP</u>		0.08
	1996	0.28	0.851 $\pm$ 0.796 <u>E</u>	0.305 $\pm$ 0.240 <u>P</u>	0.092 $\pm$ 0.052 <u>F</u>	0.062 $\pm$ 0.038 <u>OP</u>	<b>0.00</b>
<i>Elaphrus clairvillei</i>	1995	0.20	0.004 $\pm$ 0.005 <u>OP</u>	– <u>P</u>	– <u>F</u>		0.08
	1996	0.12	0.021 $\pm$ 0.028 <u>OP</u>	0.001 $\pm$ 0.002 <u>E</u>	0.000 $\pm$ 0.001 <u>P</u>	– <u>F</u>	0.13
<i>Notiophilus sylvaticus</i>	1995	0.32	0.001 $\pm$ 0.002 <u>F</u>	– <u>P</u>	– <u>OP</u>		0.42
	1996	0.00	0.021 $\pm$ 0.021 <u>P</u>	0.011 $\pm$ 0.005 <u>F</u>	0.008 $\pm$ 0.005 <u>OP</u>	0.008 $\pm$ 0.006 <u>E</u>	0.34
<i>Pterostichus adstrictus</i>	1995	0.76	0.022 $\pm$ 0.017 <u>OP</u>	0.001 $\pm$ 0.001 <u>P</u>	– <u>F</u>		<b>0.01</b>
	1996	0.65	0.050 $\pm$ 0.023 <u>OP</u>	0.003 $\pm$ 0.003 <u>E</u>	0.001 $\pm$ 0.002 <u>P</u>	0.001 $\pm$ 0.001 <u>F</u>	<b>0.00</b>
<i>Pterostichus castaneus</i>	1995	0.19	0.016 $\pm$ 0.015 <u>OP</u>	0.011 $\pm$ 0.007 <u>P</u>	0.007 $\pm$ 0.003 <u>F</u>		0.11
	1996	0.22	0.033 $\pm$ 0.025 <u>OP</u>	0.023 $\pm$ 0.008 <u>P</u>	0.013 $\pm$ 0.009 <u>E</u>	0.011 $\pm$ 0.009 <u>F</u>	<b>0.00</b>
<i>Pterostichus riparius</i>	1995	0.02	0.018 $\pm$ 0.021 <u>P</u>	0.017 $\pm$ 0.012 <u>OP</u>	0.008 $\pm$ 0.013 <u>F</u>		0.56
	1996	0.75	0.014 $\pm$ 0.008 <u>OP</u>	0.004 $\pm$ 0.006 <u>F</u>	0.002 $\pm$ 0.001 <u>E</u>	0.001 $\pm$ 0.002 <u>P</u>	<b>0.04</b>
<i>Scaphinotus angusticollis</i>	1995	0.56	0.408 $\pm$ 0.159 <u>F</u>	0.339 $\pm$ 0.263 <u>OP</u>	0.331 $\pm$ 0.149 <u>P</u>		0.57
	1996	0.73	1.031 $\pm$ 0.450 <u>E</u>	0.743 $\pm$ 0.249 <u>F</u>	0.675 $\pm$ 0.063 <u>P</u>	0.428 $\pm$ 0.158 <u>OP</u>	<b>0.05</b>
<i>Scaphinotus marginatus</i>	1995	0.00	0.045 $\pm$ 0.040 <u>F</u>	0.027 $\pm$ 0.043 <u>P</u>	0.018 $\pm$ 0.028 <u>OP</u>		0.60
	1996	0.06	0.080 $\pm$ 0.067 <u>F</u>	0.071 $\pm$ 0.079 <u>OP</u>	0.050 $\pm$ 0.034 <u>E</u>	0.029 $\pm$ 0.032 <u>P</u>	0.65
<i>Trechus chalybeus</i>	1995	0.81	0.115 $\pm$ 0.007 <u>OP</u>	0.078 $\pm$ 0.055 <u>P</u>	0.019 $\pm$ 0.015 <u>F</u>		<b>0.00</b>
	1996	0.50	0.158 $\pm$ 0.077 <u>OP</u>	0.063 $\pm$ 0.018 <u>P</u>	0.036 $\pm$ 0.017 <u>F</u>	0.019 $\pm$ 0.018 <u>E</u>	<b>0.00</b>