

Static and non-static Members

Due Date:

This assignment is due Friday, 2012-01-27 at the beginning of lecture.

Persons

- ⇒ Implement a `Person` class that has all of the methods shown in Figure 1.
- ⇒ Implement a `PersonTester` class whose public static `void main()` method uses the tests the `Person` class and simultaneously tells a story.

The `allSayHello` static member function should cause every currently living person to say hello. The tricky part of this is finding all of the currently living persons. To accomplish this use a static member variable that keeps a “pointer” to some first living `Person`, that each living person has a pointer to the next living person, and ensure that these variables are updated by appropriate non-static functions.

All fields **must be private**.

The public methods of the `Person` class must be exactly those described in Figure 1. You may add as many private methods and fields as you see fit.

Here are some things to check.

- Make sure that `die()` applied to a dead person doesn't cause the population to decrease.
- Make sure that a person's murderer's name prints correctly if the murderer herself is dead.
- Make sure that murdering a person causes them to die.

<i>Method</i>	<i>Meaning</i>
<i>attributes</i>	
<code>public Person(String n)</code>	Creates a living person with name n.
<code>public Person murderer()</code>	Returns the Person that murdered this person. Returns null if this person has not been murdered.
<code>public String name()</code>	Returns this person's name. Should end with ", deceased" if the person is dead.
<code>public boolean isAlive()</code>	<i>obvious.</i>
<i>actions</i>	
<code>public void die()</code>	Causes a person to die. Has no effect on someone already dead.
<code>public void murder(Person victim)</code>	Causes victim to die, and the murderer to be known to the victim.
<code>public void sayHello()</code>	causes this Person to print "Hello, I'm name." on System.out.
<i>class attributes</i>	
<code>public static int numberLiving()</code>	
<code>public static int numberDead()</code>	
<i>class actions</i>	
<code>public static void allSayHello()</code>	causes every living person to say hello as described above.

Figure 1: Properties and Actions of Persons